ELSEVIER

Volume 511, Numbers 1–2, 5 April 1996

Journal of Organometallic Chemistry

# Contents

*Publisher's note* . . . . . viii

*Review*

Complexes of lanthanoids with neutral π donor ligands
G.B. Deacon (Clayton, Australia) and Q. Shen (Suzhou, People's Republic of China) . . . . . 1

*Regular Papers*

Theoretical investigations on Ziegler–Natta catalysis: models for the cocatalyst components
E. Puhakka, T.T. Pakkanen (Joensuu, Finland), T.A. Pakkanen and E. Iiskola (Porvoo, Finland) . . . . . 19

Strukturen ladungsgestörter Moleküle. 79. Dimeres Anthracenylmagnesiumbromid-Dibutylether
H. Bock, K. Ziemer und C. Näther (Frankfurt, Germany) . . . . . 29

Electron-deficient organouranium chemistry: synthesis and reactivity of monocyclopentadienyldiphenylphosphidouranium trisborohydrides $[C_5R_4PPh_2U(BH_4)_3]$ (R = H or $CH_3$) and of their borane adducts
D. Baudry, A. Dormond, A. Hafid and C. Raillard (Dijon, France) . . . . . 37

Reactions of σ-ferrocenylplatinum complexes with carbon monoxide and isocyanide
T. Yoshida, K. Onitsuka and K. Sonogashira (Osaka, Japan) . . . . . 47

Synthesis, mass spectrometry and NMR spectroscopy studies of the $(CH_3)_2In(C_2H_5)$ system: X-ray crystal structure of a diphosphine-bridged complex
P. Visonà, F. Benetollo, G. Rossetto, P. Zanella and P. Traldi (Padova, Italy) . . . . . 59

Organometallic selenolates. Part 2. A new synthesis of dimeric (selenolato)tetracarbonylmanganese(I) complexes. Crystal structures of $[Mn(CO)_4SeR]_2$; R = $CH_2Ph$, C(O)Ph and $CO_2Me$
W. Eikens, S. Jäger, P.G. Jones and C. Thöne (Braunschweig, Germany) . . . . . 67

The reduction and oxidation of cationic carbonyl complexes of manganese with phosphoniodithioformate: X-ray crystal structure of $[Mn(CO)_4(S_2CPCy_3)]ClO_4$
G.A. Carriedo, J.A. Pérez-Martínez, D. Miguel, V. Riera, S. García-Granda and E. Pérez-Carreño (Oviedo, Spain) . . . . . 77

Basekatalysierte Hydrierung von Methylchlortri- und -tetrasilanen mit Trialkylstannanen zu Methylchlorwasserstofftri- und -tetrasilanen
U. Herzog, E. Brendler und G. Roewer (Freiberg, Germany) . . . . . 85

Reactivity of the unsaturated manganese dihydrides $[Mn_2(\mu\text{-}H)_2(CO)_6(\mu\text{-}L_2)]$ ($L_2 = Ph_2PCH_2PPh_2$ or $(EtO)_2POP(OEt)_2$) towards small molecules
F.J. García Alonso, M. García Sanz, X.Y. Liu, A. Oliveira, M.A. Ruiz, V. Riera (Oviedo, Spain) and C. Bois (Paris, France) . . . . . 93

Reactivity of a cationic triruthenium hydridoalkenylcarbonyl cluster complex toward nucleophilic reagents. Carbonyl substitution versus alkene elimination reactions
J.A. Cabeza, I. Del Río, A. Llamazares and V. Riera (Oviedo, Spain) . . . . . 103

Stable paramagnetic bis(alkynyl) manganese complexes
V.V. Krivykh, I.L. Eremenko, D. Veghini (Zurich, Switzerland), I.A. Petrunenko (Moscow, Russia), D.L. Pountney, D. Unseld and H. Berke (Zurich, Switzerland) . . . . . 111

Symmetric and dissymmetric pyrazolyl-bridged rhodium dimers. Two X-ray dirhodium structures with short metal–metal interactions
C. López, J.A. Jiménez, R.M. Claramunt, M. Cano, J.V. Heras, J.A. Campo, E. Pinilla and A. Monge (Madrid, Spain) . . . . . 115

Dinuclear cyclometallated complexes of $Pd^{II}$ with diphosphines. X-ray crystal structure of $[1,4\text{-}\{Pd[2,4\text{-}(MeO)_2C_6H_2C(H)=N]\}_2C_6H_4\{Ph_2P(CH_2)_3PPh_2\text{-}P,P\}_2][PF_6]_2$
J.M. Vila, M. Gayoso, M. López Torres, J.J. Fernández, A. Fernández, J.M. Ortigueira (Santiago de Compostela, Spain), N.A. Bailey and H. Adams (Sheffield, UK) . . . . . 129

Palladium(0)-catalyzed phenoxycarbonylation of allylic carbonates
C. Goux, P. Lhoste, D. Sinou (Villeurbanne, France) and A. Masdeu (Tarragona, Spain) . . . . . 139

Structure and reactivity of dimeric rhodium(I) formate complexes: X-ray crystal structure of $[\{(cod)Rh(\mu\text{-}\kappa^2O,O'\text{-}HCO_2)\}_2]$ and phosphane-induced hydride transfer to give an $\eta^3$-cyclooctenyl complex
R. Fornika, E. Dinjus, H. Görls and W. Leitner (Jena, Germany) . . . . . 145

Synthesis and characterization of Eu(II) and Sm(II) complexes containing the cyclopentadienylvanadiumnaphthalene anion. Molecular structure of $[(C_5H_5)V(C_{10}H_8)]_2Eu(THF)(DME)$ and $[(C_5H_5)V(C_{10}H_8)Eu(C_5H_5)(THF)]_n$
I.L. Fedushkin, V.K. Nevodchikov, V.K. Cherkasov, M.N. Bochkarev (Nizhny Novgorod, Russia), H. Schumann, F. Girgsdies, F.H. Görlitz, G. Kociok-Köhn and J. Pickardt (Berlin, Germany) . . . . . 157

Alkylation of cyanide at $[NBu_4]$*trans*-$[Re(CN)_2(Ph_2PCH_2CH_2PPh_2)_2]$. Syntheses and properties of derived isocyanide complexes and X-ray structure of *trans*-$[Re(CNEt)_2(Ph_2PCH_2CH_2PPh_2)_2][PF_6]$
M.F.N.N. Carvalho, M.T. Duarte, A.M. Galvão and A.J.L. Pombeiro (Lisboa, Portugal) . . . . . 163

Evidences for intramolecular N → P coordination in (8-dimethylamino-1-naphthyl)diphenylphosphane and derivatives
C. Chuit, R.J.P. Corriu, P. Monforte, C. Reyé (Montpellier, France), J.-P. Declercq (Louvain-la-Neuve, Belgium) and A. Dubourg (Montpellier, France) . . . . . 171

Elsevier Science S.A.

Synthesis and characterization of neutral and cationic diamino carbene complexes of gold(I)
H.G. Raubenheimer, L. Lindeque and S. Cronje (Johannesburg, South Africa) . . . . . 177
Synthesis of bis(diphenylphosphinocyclopentadienyl)yttrium chloride complexes and heterodimetallic derivatives. X-ray structure of bis[(μ-chloro)bis(diphenylphosphinocyclopentadienyl)yttrium(III)]
R. Broussier, G. Delmas, P. Perron, B. Gautheron (Dijon, France) and J.L. Petersen (Morgantown, WV, USA). . . . . 185
Asymmetric synthesis of a chiral tetradentate ligand based on a bis[diphenylphosphinoferrocenyl] moiety. Electrochemical behavior of free ligand and its $Ru^{II}$ and $Cu^{I}$ complexes
A. Masson-Szymczak, O. Riant, A. Gref and H.B. Kagan (Orsay, France) . . . . . 193
The mixed alkyl gallium or indium *N,N,N*-trimethylpropylenediaminedithiocarbamates. Crystal structure of diethyl(*N,N′,N′*-trimethylpropylenediamine)dithiocarbamatoindium(III)
S.W. Haggata, M. Azad Malik, M. Motevalli and P. O'Brien (London, UK) . . . . . 199
Acid catalysed condensation reactions of 1,3-dihydroxybenzene with new redox-active metallocene aldehydes
P.D. Beer (Oxford, UK), M.G.B. Drew (Reading, UK), D. Hesek and S.M. Lacy (Oxford, UK) . . . . . 207
Stoichiometry of protonation of aromatic hydrocarbon radical anions by weak proton donors. A marked discrepancy between the number of protons used and those incorporated into the aromatic structure
C.G. Screttas, G.I. Ioannou and M. Micha-Screttas (Athens, Greece) . . . . . 217
Organotin(IV) derivatives of acylpyrazol-5-ones
M.F. Mahon, K.C. Molloy, B.A. Omotowa (Bath, UK) and M.A. Mesubi (Ilorin, Nigeria). . . . . 227
Auf dem Wege zu einem stabilen Germaethen $>Ge=C<$: Sterisch überladene Digermylsilylmethane $^{t}Bu_2SiX-CY(GeMe_3)_2$ und Struktur der Germaethenquelle $^{t}Bu_2SiF-CLi(GeMe_3)_2 \cdot 2THF$
N. Wiberg, H.-S. Hwang-Park (München, Germany), P. Mikulcik (Garching, Germany) und G. Müller (Konstanz, Germany) . . . . . 239
Synthesis of Group 4 metal compounds containing cyclopentadienyl ligands with a pendant alkoxide function: molecular structure of $\{[\eta^5:\eta^1\text{-}C_5H_4(CH_2)_2O]TiCl_2\}_2$ and $[\eta^5:\eta^1\text{-}C_5H_4(CH_2)_3O]TiCl_2$
G. Trouvé, D.A. Laske, A. Meetsma and J.H. Teuben (Groningen, Netherlands) . . . . . 255
Reactions of the 'ferrole' complex $[Fe_2(CO)_6(C_2Et_2)_2]$ with Group 15 donor ligands and with alkynes. Stepwise formation and disengagement of tropones. Crystal and molecular structure of $[Fe_2(CO)_5\{(CEt)_2CO(CEt)_2CHCPh\}]$
R. Giordano, E. Sappa (Torino, Italy), D. Cauzzi, G. Predieri and A. Tiripicchio (Parma, Italy) . . . . . 263
UV-vis, IR and EPR spectroelectrochemical study of the EC redox transition $[(PR_3)_n(CO)_3(R'\text{-}pz)M]^{+/0}$; M = Mo, W; R′-pz = N-alkylpyrazinium; R = isopropyl, cyclohexyl; $n = 1$ or 2
F. Hilgers, W. Bruns (Stuttgart, Germany), J. Fiedler (Prague, Czech Republic) and W. Kaim (Stuttgart, Germany) . . . . . 273
1,3-Dipolar cycloaddition to the Fe–N=C fragment. XVI. Reactivity of Fe(alkyl-NC)$_3$($^{i}$Pr-DAB) complexes towards aromatic isothiocyanates as dipolarophiles. Insertion of isothiocyanate into the Fe–N bond
N. Feiken, H.-W. Frühauf, K. Vrieze (Amsterdam, Netherlands), N. Veldman and A.L. Spek (Utrecht, Netherlands). . . . . 281
Siloxanes and silylamines with fluoromethyl-methylsilicon groups: X-ray study of $[CH_2F(CH_3)SiO]_4$
H. Beckers, D.J. Brauer, H. Bürger, R. Gielen and P. Moritz (Wuppertal, Germany) . . . . . 293
Multiple bonds between main group elements and transition metals, 154 methylrhenium(V) oxo complexes: derivatives of di(4-t-butylpyridine)dichloromethyloxorhenium(V)
W.A. Herrmann, M.U. Rauch and P.W. Roesky (Garching, Germany) . . . . . 299
The molecular structure of cyclopentadienyl vanadium tetracarbonyl determined by gas-phase electron diffraction
M.J. Almond, E.M. Page, D.A. Rice (Reading, UK) and K. Hagen (Trondheim, Norway) . . . . . 303

*Book Review* . . . . . 309

*Author Index* . . . . . 311

*Subject Index* . . . . . 313

*Conference Calendar*. . . . . 321

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.